

防水TYPE

C母座板上2脚插板2柱SMT6Pin防水IPX7充电接口3A厂家LZG

产品名称	防水TYPE C母座板上2脚插板2柱SMT6Pin防水IPX7充电接口
生产厂家	广东小迈实业有限公司
价格	/
规格参数	品牌:LZG Type-C:6pin2脚插板3A 特性:防水IPX7
公司地址	东莞市横沥镇西城一区西聚路1号
联系电话	18938295875

产品详情

防水TYPE C母座板上2脚插板2柱SMT6Pin防水IPX7充电接口3A厂家LZG

产品参数：

型号：ZB48022-06SBAP-A

包装：1000/盘



ZB48022-06SBAP-A

IPX7
IP67
3A



防水Type-C接口

致力提供防水连接器解决方案

防水





Type-C接口

源头工厂

支持定制

免费拿样



防水

ZB48022-06SBAP-A

生产厂家 欢迎来访

产品应用



汽车领域
Automotive Electronics Field



数码产品
Digital Product



电子产品
Electronics



家用电器
Household Appliances



影音产品
Audio and video products



通信产品
Communication Products



智能家居
Smart Home



专注防水连接器生产制造



waterproof TYPE C serie

✓ NOTES:

1. ELECTRICAL CHARACTERISTICS:
 - 1.1. RATING: 3A.
 - 1.2. CONTACT RESISTANCE: 30 mΩ MAX.(INITIAL).
 - 1.3. DIELECTRIC WITHSTANDING: 100V AC MIN.
 - 1.4. INSULATION RESISTANCE: 100MΩ MIN.
2. DURABILITY: 5,000 CYCLES MIN.
3. INSERTION FORCE: 5–20N.
4. EXTRACTION FORCE: 8–20N.
5. WATER PROOFNESS: THIS PRODUCT IS BASED ON IPX7.
6. PLUG INTERFACE DIMENSIONS COMFORM TO USB2.0 SPEC.
7. PACKAGING: TAPE & REEL.

ISO
9001:2015




✓
RoHS

✓ ISO
14001:2015






LZG INDUSTRIAL CO.,LTD

RoHS
Compliant




ZONE	E.C.N. NO.	DESCRIPTION	DRAWING	DATE
A		INITIAL	蔡生財	2020.02.18

SPECIFICATIONS:
 1. ELECTRICAL CHARACTERISTICS:
 1.1. RATING: 3A;
 1.2. CONTACT RESISTANCE: 30 mΩ MAX.(INITIAL);
 1.3. DIELECTRIC WITHSTANDING: 100V AC MIN.;
 1.4. INSULATION RESISTANCE: 100MΩ MIN.;
 2. DURABILITY: 5,000 CYCLES MIN.;
 3. INSERTION FORCE: 5-20N;
 4. EXTRACTION FORCE: 8-20N;
 5. WATER PROOFNESS: THIS PRODUCT IS BASED ON IPX7.
 6. PLUG INTERFACE DIMENSIONS CONFORM TO USB2.0 SPEC.
 7. PACKAGING: TAPE & REEL.



RECOMMENDED P.C.B LAYOUT
TOP VIEW (TOLRANCE:±0.05)



结构设计注意:
 成品使用时, 如有洗面奶泡沫、牙膏、洗手液、脏污液体, 请在TYPE-C口外面再设计一层外壳, 保护TYPE-C表面会手指不会被脏污覆盖。

A5	CC1	B12	GND
A9	VBUS	B9	VBUS
A12	GND	B5	CC2
PIN	SIGNAL NAME	PIN	SIGNAL NAME

4	WATERPROOF RING	SILICA GEL	COLOR WHITE	1
3	SHELL	ZINC ALLOY	NI PLATING	1
2	CONTACT	PHOSPHOR BRONZE	Au/Ni PLATING T=0.20mm	6
1	HOUSING 1	PA10T	COLOR BLACK	1
NO.	DESCRIPTION	MATERIAL	REMARKS	QTY



LZG INDUSTRIAL CO. LTD

PART NAME	WATERPROFF TYPE C 6PIN	TOLERANCE UNLESS	0.0±0.3	0.1±2'	UNIT:	mm	APPROVAL:	蔡生財	DATE:	2020.02.18	SCALE	1:1
PART NO.	ZB48022-06SBAP-A	OTHERWISE SPECIFIED:	0.00±0.1	0.0'±1'			CHECK:	李宏鑫	DATE:	2020.02.18	MATERIAL	*
			0.000±0.05	0.00'±0.5'			APPROVAL:	蔡生財	DATE:	2020.02.18	DWG. NO.	
							DRAWING NO.				SHEET	1/2

F E D C B A