

防水USB母座6Pin双耳防水IPX7数据接口3A厂家LZG连接器

产品名称	防水USB母座6Pin双耳防水IPX7数据接口3A厂家LZG连接器
生产厂家	广东小迈实业有限公司
价格	/
规格参数	品牌:LZG USB母座:6pin双耳3A 特性:防水IPX7
公司地址	东莞市横沥镇西城一区西聚路1号
联系电话	18938295875

产品详情

防水USB母座6Pin双耳防水IPX7数据接口3A厂家LZG连接器

规格：ZB40007-06DBAP-A

端口数量：1，安装类型：弯插，额定电流：3A



ZB40007-06DBAP-A

IPX7

IP67

3A



防水USB连接器

致力提供防水连接器解决方案

防水





USB连接器

源头工厂

支持定制

免费拿样



防水

ZB40007-06DBAP-A

生产厂家 欢迎来访

产品应用



汽车领域
Automotive Electronics Field



数码产品
Digital Product



电子产品
Electronics



家用电器
Household Appliances



通信产品
Communication Products



影音产品
Audio and video products



智能家居
Smart Home



专注防水连接器生产制造



✓ NOTES:

1. CURRENT RATING: 3.0A MAX.
2. DIELECTRIC WITHSTAND VOLTAGE: 100VAC.
3. TEMPERATURE RANGE: $-30^{\circ}\text{C} \sim 85^{\circ}\text{C}$.
4. CONTACT RESISTANCE: 40 MILLIONHM MAX.
5. INSULATION RESISTANCE: 100 MEGOHMS MIN.
6. INSERTION FORCE : 8N~30N.
7. UNMATING FORCE: 8N~30N
8. DURABILITY: 5000 CYCLES.

ISO
9001:2015

✓
RoHS

✓ ISO
14001:2015









LZG INDUSTRIAL CO.,LTD

RoHS
Compliant

ZONE	ECN.N.O.	DESCRIPTION	DRAWING	DATE
A		INITIAL	蔡生野	2023.11.29

- NOTES:
SPECIFICATION:
1. CURRENT RATING: 3.0A MAX
 2. DIELECTRIC WITHSTAND VOLTAGE: 100VAC
 3. TEMPERATURE RANGE: -30 °C ~ 85 °C
 4. CONTACT RESISTANCE: 40 MILLIONHM MAX
 5. INSULATION RESISTANCE: 100 MEGOHMS MIN.
 6. INSERTION FORCE : 8N~30N
 7. UNMATING FORCE: 8N~30N
 8. DURABILITY: 5000 CYCLES



PIN ASSIGNMENT

PIN NO.	1	2	3	4
SIGNAL NAME	VBUS	D-	D+	GND

4	Shell	1	SUS 304 1/4H	Ni Plating
3	PLASTIC Shell	1	PA10T (G.F30%)	BLACK UL94V-0
2	Contact	4	C7025 TMO3 T=0.25mm	Au/Ni/SN Plating
1	Housing	1	PA10T (G.F30%)	BLACK UL94V-0
ITEM	PART NAME	Q'TY	FINISH	NOTE

LZG LZG INDUSTRIAL CO. LTD

PART NAME	USB 3.0 A TYPE AB	TOLERANCE UNLESS OTHERWISE SPECIFIED:	0.0±0.25 0.00±0.15 0.000±0.05	0.1±0.2° 0.0°±1° 0.00°±0.5°	UNIT: mm
PART NO.	ZB40007-06DBAP-A				

DRAWING:	蔡生野	DATE:	2023.11.29	SCALE:	1:1
CHECK:	李宏鑫	DATE:	2023.11.29	MATERIAL:	*
APPROVAL:	蔡生野	DATE:	2023.11.29	DWG. NO.:	
DRAWING NO.:	ZB40007-06DBAP-A			SHEET:	1/1