

防水Micro USB母座卧插7Pin防水IPX7数据接口1.8A厂家LZG连接器

产品名称	防水Micro USB母座卧插7Pin防水IPX7数据接口1.8A厂家LZG
生产厂家	广东小迈实业有限公司
价格	/
规格参数	品牌:LZG Micro:1.8A卧插7Pin 特性:防水IPX7
公司地址	东莞市横沥镇西城一区西聚路1号
联系电话	18938295875

产品详情

防水Micro USB母座卧插7Pin防水IPX7数据接口1.8A厂家LZG连接器

规格：ZB43004-07SBAP-A，包装MPQ:1000PCS/盘

端口数量：1，安装类型：卧式插板，额定电流：2.0A，IP等级：IP67



ZB43004-07SBAP-A

IPX7
IP67
2~1A



防水Micro usb

致力提供防水连接器解决方案

防水





防水Micro

源头工厂

支持定制

免费拿样



防水

ZB43004-07SBAP-A

生产厂家 欢迎来访

产品应用



汽车领域
Automotive Electronics Field



数码产品
Digital Product



电子产品
Electronics



家用电器
Household Appliances



影音产品
Audio and video products



通信产品
Communication Products



智能家居
Smart Home



专注防水连接器生产制造



waterproof Micro serie

✓ NOTES:

1. Current rating: 1,5PIN 2.0A Max/2,3,4PIN 1A Max.
2. Dielectric withstanding voltage: 100 V(ac) for 1 min.
3. Contact resistance: 30 mΩ Max.
4. Insulation resistance: 100 MΩ Min.
5. Total mating force: 3.57 Kgf Max.
6. Total unmating force: 1.0 Kgf Min.
7. Temperature range: -30°C~80°C.
8. Waterproof: IPX8.

ISO
9001:2015

✓
RoHS

✓ ISO
14001:2015



LZG INDUSTRIAL CO.,LTD

RoHS
Compliant









ZONE	ECN.NO.	DESCRIPTION	DRAWING	DATE
A		INITIAL	林生册	2020.02.18

- SPECIFICATIONS:
- 1 Current rating:1,5PIN 2.0A Max/2,3,4PIN 1A Max.
 - 2 Dielectric withstanding voltage: 100 V(ac) for 1 min.
 - 3 Contact resistance: 30 mΩ Max.
 - 4 Insulation resistance: 100 MΩ Min.
 - 5 Total mating force: 3.57 Kgf Max.
 - 6 Total unmating force: 1.0 Kgf Min.
 - 7 Temperature range: -30°C~80°C
 - 8 Waterproof: IPX8.



3D VIEW



RECOMMENDED P.C.B. LAYOUT
TOLERANCE UNSPECIFIED ±0.05mm

6	GLUE	EPOXY	COLOR BLACK	1
5	RING	SILICON	COLOR YELLOW	1
4	COVER	HIGH TEMPERATURE PLASTIC	COLOR BLACK	1
3	SHELL	STAINLESS STEEL 0.3I	NICKEL PLATING OVERALL	1
2	CONTACT	COPPER ALLOY 0.2I	GOLD PLATING OVERALL	5
1	HOUSING	HIGH TEMPERATURE PLASTIC	COLOR BLACK	1
NO.	DESCRIPTION	MATERIAL	REMARKS	QTY

LZG LZG INDUSTRIAL CO. LTD

PART NAME	WATERPROFF MICRO USB 5P B TYPE	TOLERANCE UNLESS	0.0±0.3	0.1±0.2	UNIT:	mm	APPROVAL:	林生册	DATE:	2020.02.18	SCALE	1:1
PART NO.	ZB43004-07SBAP-A	OTHERWISE SPECIFIED:	0.00±0.2	0.0±0.1								
							DRAWING NO.	林生册	DATE:	2020.02.18	DWG. NO.	
							DRAWING NO.		ZB43004-07SBAP-A		SHEET	1/1